

CJC

WOODARD, EMHARDT, MORIARTY, MCNETT & HENRY LLP

C. DAVID EMHARDT
JACK V. MORIARTY
JOHN C. MCNETT
THOMAS O. HENRY
JAMES M. DURLACHER
CHARLES R. REEVES
VINCENT O. WAGNER
STEVE ZLATOS
SPIRO BERES
CLIFFORD W. BROWNING
R. RANDALL FRISK
DANIEL J. LUEDERS

KENNETH A. GANDY
TIMOTHY N. THOMAS
KURT N. JONES
HOLIDAY W. BANTA
TROY J. COLE
CHARLES J. MEYER
LISA A. HIDAY
JOHN V. DANILUCK
CHRISTOPHER A. BROWN
SCOTT J. STEVENS
JOHN M. BRADSHAW
QUENTIN G. CANTRELL

PATENT AND TRADEMARK ATTORNEYS

FOUNDED 1879

BANK ONE CENTER/TOWER

111 MONUMENT CIRCLE, SUITE 3700

INDIANAPOLIS, INDIANA 46204-5137

(317) 634-3456

FAX (317) 637-7561

www.uspatent.com

CHARLES P. SCHMAL
JASON A. HOUBEK
DENISE M. GOSNELL
JOHN J. EMANUELE
MICHAEL S. WHERRY
DOUGLAS G. GALLAGHER
MARTA L. PUCKETT
CARL J. BRAUCH
ELIZABETH A. SHUSTER
MICHAEL A. BENEFIELD
TIMOTHY B. PAUL
TERESA E. KNIGHT

JOSEPH A. NAUGHTON
SENIOR COUNSEL

EDWARD E. SOWERS
GARY M. GRON
OF COUNSEL

HAROLD R. WOODARD
(1911-2003)

*NOT ADMITTED TO PATENT BAR

September 28, 2005

28

Commissioner for Patents
U.S. Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Request for Certificate of Correction of Patent (37 C.F.R. §§ 1.322 and 1.323)
U.S. Patent No. 6,925,761 B1
Issued: August 9, 2005
Inventor: Peter W. De La Marche
Application Serial No. 09/720,895
Filed: March 5, 2001
TITLE: MODULAR BUILDINGS
Attorney Docket: 7399-2

Certificate
OCT 07 2005
of Correction

Dear Sir:


A Certificate of Correction of the above-identified patent is respectfully requested to correct a certain error which appears in the patent as issued.

The exact location where the error occurs and the necessary correction are indicated on the attached form, which form as prepared is suitable for printing.

No fees are believed to be due; however, if it is determined that such fees are required in order to complete the Certificate of Correction, please charge such fees to Deposit Account No. 23-3030.

Please send the certificate to John V. Daniluck at Woodard, Emhardt, Moriarty, McNett & Henry LLP, Bank One Tower, 111 Monument Circle, Suite 3700, Indianapolis, Indiana 46204-5137. A duplicate of the completed form is attached.

Respectfully submitted,



John V. Daniluck

Enclosures

39:pab:P35US
7399-2:JVD:364707

OCT 11 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,925,761 B1
APPLICATION NO. : 09/720,895
ISSUE DATE : August 9, 2005
INVENTOR(S) : Peter W. De La Marche

Page 1 of 1

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 12, line 19, claim 16, please delete "task" and insert in lieu thereof --tank--.

In column 12, line 62, claim 29, please delete "evaluation" and insert in lieu thereof --evacuation--.

In column 14, line 2, claim 34, please insert --or-- immediately after the word "floor".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Woodard, Emhardt, Moriarty, McNett & Henry LLP
John V. Daniluck
Bank One Center/Tower
111 Monument Circle, Suite 3700
Indianapolis, IN 46204-5137

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

7399-2:JVD:364697

OCT 11 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,925,761 B1
APPLICATION NO. : 09/720,895
ISSUE DATE : August 9, 2005
INVENTOR(S) : Peter W. De La Marche

Page 1 of 1

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 12, line 19, claim 16, please delete "task" and insert in lieu thereof --tank--.

In column 12, line 62, claim 29, please delete "evaluation" and insert in lieu thereof --evacuation--.

In column 14, line 2, claim 34, please insert --or-- immediately after the word "floor".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Woodard, Emhardt, Moriarty, McNett & Henry LLP
John V. Daniluck
Bank One Center/Tower
111 Monument Circle, Suite 3700
Indianapolis, IN 46204-5137

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

7399-2:JVD:364697

667 1 1 2005